



MEASURING AND MONITORING PATIENT- AND FAMILY-CENTERED PROGRAM OUTCOMES BIBLIOGRAPHY

- Agency for Healthcare Quality and Research. (2007, May). *2007 CAHPS hospital survey chartbook. What patients say about their experiences with hospital care*. Bethesda, MD: Author.
- Beckman, H. B., Markakis, K. M., Suchman, A. L., & Frankel, R. M. (1994). The doctor-patient relationship and malpractice. *Archives of Internal Medicine*, *154*(6), 1365-1370.
- Bertakis, K., & Azari, R. (2011). Patient-centered care is associated with decreased health care utilization. *Journal of the American Board of Family Medicine*, *24*, 229-239.
- Boothman, R. C., Blackwell, A. C., Campbell, Jr., D. A., Commiskey, E., & Anderson, S. (2009). A better approach to medical malpractice claims? The University of Michigan experience. *Journal of Health & Life Sciences Law*, *2*(2), 125-169.
- Carmen, S., Teal, S., & Guzzetta, C. E. (2008). Development, testing, and national evaluation of a pediatric patient-family-centered care benchmarking survey. *Holistic Nursing Practice*, *22*(2), 61-74.
- Charmel, P. A., & Frampton S. B. (2008, March). Building the business case for patient-centered care: Patient-centered care has the potential to reduce adverse events, malpractice claims, and operating costs while improving market share. *Health Care Financial Management*, *62*(3), 80-85.
- Coulter, A. (2007, June). *Evidence on the effectiveness of strategies to improve patients' experience of care*. Oxford, UK: Picker Institute Europe. Available from <http://www.pickereurope.org>
- Curley, M. A., Hunsberger, M., & Harris, S. K. (2013). Psychometric evaluation of the family-centered care scale for pediatric acute care nursing. *Nursing Research*, *62*(3), 60-68. doi:10.1097/NNR.0b013e318286d64b
- Davies, E., & Cleary, P. D. (2005). Hearing the patient's voice? Factors affecting the use of patient survey data in quality improvement. *Quality & Safety in Health Care*, *14*(6), 428-432.
- Davies, E., Shaller, D., Edgman-Levitan, S., Safran, D. G., Oftedahl, G., Sakowski, J., & Cleary, P. D. (2008). Evaluating the use of a modified CAHPS survey to support improvements in patient-centred care: Lessons from a quality improvement collaborative. *Health Expectations*, *11*(2), 160-176.
- Davis, K. D., Schoen, C., Schoenbaum, S. C., Doty, M. M., Holmgren, A. L., Kriss, J. L., & Shea, K. K. (2007). *Mirror, mirror on the wall: An international update on the comparative performance of American health care*. New York: The Commonwealth Fund. Available from http://www.commonwealthfund.org/publications/publications_show.htm?doc_id=482678
- Dowling, J., Vender, J., Guilianelli, S., & Wang, B. (2005). A model of family-centered care and satisfaction predictors: The Critical Care Family Assistance Program. *Chest*, *128*, 81s-92s.
- Elder, N. C., Regan, S. L., Pallerla, H., Levin, L., Post, D., & Cegela, D. J. (2007). Development of an instrument to measure seniors' patient safety health beliefs: The Seniors Empowerment and Advocacy in Patient Safety (SEAPS) survey. *Patient Education and Counseling*, *69*(1-3), 100-107.

- Greene, J., & Hibbard, J. H. (2012). Why does patient activation matter? An examination of the relationships between patient activation and health-related outcomes. *Journal of General Internal Medicine*, 27, 520-526.
- Han, E., Scholle, S. H., Morton, S., Bechtel, C., & Kessler, R. (2013). Survey shows that fewer than a third of patient-centered medical home practices engage patients in quality improvement. *Health Affairs*, 32(2), 368-375.
- Hibbard, J. H. (2003). Engaging health care consumers to improve the quality of care. *Medical Care*, 41(1), 61-70.
- Hibbard, J. H., & Greene, J. (2013). What the evidence shows about patient activation: Better health outcomes and care experience; fewer data on costs. *Health Affairs*, 32(2), 207-214.
- Hibbard, J., & Minniti, M. (2012). An evidence-based approach to engaging patients. In D. Nash, J. Clarke, A. Skoufalos, & M. Horowitz (Eds.), *Health care quality: The clinician's primer* (pp. 245-262). Tampa, FL: American College of Physician Executives.
- Hudon, C., Fortin, M., Haggerty, J., Lambert, M., & Poitras, M. (2011). Measuring patients' perceptions of patient-centered care: A systematic review of tools for family medicine. *Annals of Family Medicine*, 9(2), 155-164. doi:10.1370/afm.1226
- Institute for Patient- and Family-Centered Care. Patient- and family-centered care: Self-assessment inventories. The Institute for Patient- and Family-Centered Care offers comprehensive assessments to evaluate the practice of patient- and family-centered care in the following areas: *Leadership, Hospitals, Hospital Design, Emergency Department, Pediatric-Inpatient, Pediatric Intensive Care, Pediatric Ambulatory Care, Newborn Intensive Care, Inpatient Maternity Care, Outpatient Maternity Care, Personnel Practices, Medical Education, and Health Plans*. Available from <http://www.ipfcc.org/resources/other/index.html>
- Jha, A. K., Orav, J., Zheng, J., & Epstein, A. M. (2008). Patients' perception of hospital care in the United States. *The New England Journal of Medicine*, 359, 1921-1931.
- Johnson, B., Abraham, M., Conway, J., Simmons, L., Edgman-Levitan, S., Sodomka, P., Schlucter, J., & Ford, D. (2008). *Partnering with patients and families to design a patient- and family-centered health care system: Recommendations and promising practices*. Bethesda, MD: Institute for Patient- and Family-Centered Care. Retrieved from <http://www.ipfcc.org/pdf/PartneringwithPatientsandFamilies.pdf>
- Klitzner, T. S., Rabbitt, L. A., Change, R. R. (2010). Benefits of care coordination for children with complex disease: A pilot medical home project in resident teaching clinic. *The Journal of Pediatrics*, 156(6), 1006-1010.
- Lorig, K., Stewart, A., Ritter, P., Gonzalez, V., Laurent, D., & Lynch, J. (1996). *Outcome measures for health education and other health care interventions*. Thousand Oaks, CA: Sage Publications.
- Measuring the cost benefits of family-centered care. (2003). *Healthcare Financial Management*, 57(9), 118.
- Moore, L. G., & Wasson, J. (2006). An introduction to technology for patient-centered, collaborative care. *Journal of Ambulatory Care Management*, 29(3), 195-198.
- O'Brien, K., Bracht, M., Macdonell, K., McBride, T., Robson, K., O'Leary, L., Christie, K.,...Lee, S. K. (2013). A pilot cohort analytic study of family integrated care in a Canadian neonatal intensive care unit. *BMC Pregnancy and Childbirth*, 13s, 1-7.
- Press Ganey. (2009). *Pulse report 2009: Hospital patients' perspectives on American health care*. South Bend, IN: Author.
- Rennis, L., & Scruggs, L. H. (2008). *Getting it right: A self-assessment tool for consumer advisory boards*. Washington, DC: AIDS Alliance for Children, Youth & Families. Available from <http://www.aids-alliance.org/resources/publications/>

- Sofaer, S., & Firminger, K. (2005). Patient perceptions of the quality of health services. *Annual Review of Public Health, 26*, 513-559.
- Stewart, M. A., Brown, J. B., Donner, A., McWhinney, I. R., Oates, J., Weston, W. W., & Jordan, J. (2000). The impact of patient-centered care on outcomes. *Journal of Family Medicine, 4*(9), 796-804.
- Sweeney, L., Halpert, A., & Waranoff, J. (Eds.). (2007). Patient-centered management of complex conditions can reduce costs without shortening life. *The American Journal of Managed Care, 13*, 84-92.
- Turnbull, A. P., Friesen, B. J., & Ramirez, C. (1998). Participatory action research as a model for conducting family research. *Journal of the Association for Persons with Severe Handicaps, 23*(3), 178-188.
- Wall, R. J., Engelberg, R. A., Downey, L., Heyland, D. K., & Curtis, J. R. (2007). Refinement, scoring, and validation of the Family Satisfaction in the Intensive Care Unit (FS-ICU) survey. *Critical Care Medicine, 35*(1), 271-279.
- Wolff, J. L., & Roter, D. L. (2011). Family presence in routine medical visits: A meta-analytical review. *Social Science and Medicine, 72*(6), 823-831.