



## Newborn Intensive Care Bibliography

- Als, H., & Gilkerson, L. (1997). The role of relationship-based developmentally supportive newborn intensive care in strengthening outcomes of preterm infants. *Seminars in Perinatology*, 21(3), 178-189.
- Als, H., Lawhon, G., Duffy, F. H., McAnulty, G. B., Gibes-Grossman, R., & Blickman, J. G. (1994). Individualized developmental care for the very low birthweight preterm infant: Medical and neurofunctional effects. *Journal of the American Medical Association*, 272(11), 853-858.
- American Academy of Pediatrics. (1998). Hospital discharge of the high-risk neonate—Proposed guidelines (RE9812). *Pediatrics*, 102(2), 411-417.
- Anderson, G. C., Chiu, S. H., Dombrowski, M. A., Swinth, J. Y., Albert, J. M., & Wade, N. (2003). Mother-newborn contact in a randomized trial of kangaroo (skin-to-skin) care. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 32(5), 604-611.
- Andrade, T. M. (1998). Sibling visitation: Research implications for pediatric and neonatal patients. *The Online Journal of Knowledge Synthesis for Nursing- Abstract*, 5, Doc. No. 6. [doi:10.1111/j.1524-475X.1998.00058.x]. Available from <http://www3.interscience.wiley.com/journal/121363188/abstract?CRETRY=1&SRETRY=0>
- Arockiasamy, V., Holsti, L., & Albersheim, S. (2008). Fathers' experiences in the neonatal intensive care unit: A search for control. *Pediatrics*, 121(2), e215-e222.
- Ballweg, D. D. (2001). Implementing developmentally supportive family-centered care in the newborn intensive care unit as a quality improvement initiative. *Journal of Perinatal and Neonatal Nursing*, 15(3), 58-73.
- Becker, P. T., & Grunwald, P. C. (2000). Contextual dynamics of ethical decision-making in the NICU. *Journal of Perinatal and Neonatal Nursing*, 14(2), 58-72.
- Berns, S. D., Boyle, M. D., Popper, B., & Gooding, J. S., (2007). Results of the premature birth national need-gap study. *Journal of Perinatology*, 27(Suppl. 2), S38-S44.
- Bondurant, P. G., & Brinkman, K. S. (2003). Developmentally supportive care in the newborn intensive care unit: Early intervention in the community. *Nursing Clinics of North America*, 38(2), 253-269.
- Boukydis, C. F. Z., & Moses, L. (1995). Establishing and maintaining a parenting network for parents of premature/high-risk infants. *Infants and Young Children*, 7(4), 77-87.
- Bowie, B. H., Hall, R. B., Faulkner, J., & Anderson, B. (2003). Single-room infant care: Future trends in special care nursery planning and design. *Neonatal Network*, 22(4), 27-34.
- Bracht, M., Kandankery, A., Nodwell, S., & Stade, B. (2002). Cultural differences and parental responses to the preterm infant at risk: Strategies for supporting families. *Neonatal Network*, 21(6), 31-38.
- Brazy, J. E., Anderson, B. M., Becker, P. T., & Becker, M. (2001). How parents of premature infants gather information and obtain support. *Neonatal Network*, 20(2), 41-48.
- Broedsgaard, A., & Wagner, L. (2005). How to facilitate parents and their premature infant for the transition home. *International Nursing Review*, 52, 196-203.
- Brown, P., & Taquino, L. T. (2001). Designing and delivering neonatal care in single rooms. *Journal of Perinatal and Neonatal Nursing*, 15(1), 68-83.

- Browne, J. V. (2004). Early relationship environments: Physiology of skin-to-skin contact for parents and their preterm infants. *Clinics in Perinatology*, 31(2), 287-298.
- Browne, J. V., Langlois, A., Ross, E. S., & Smith-Sharp, S. (2001). Beginnings: An interim individualized family service plan for use in the intensive care nursery. *Infants and Young Children*, 14(2), 19-32.
- Browne, J. V., Sanchez, E., Langlois, A., & Smith, S. (2004). From visitation policies to family participation guidelines in the NICU: The experience of the Colorado consortium of intensive care nurseries. *Neonatal, Paediatric and Child Health Nursing*, 7(2), 16-23.
- Browne, J. V., & Smith-Sharp, S. (1995). The Colorado consortium of intensive care nurseries: Spinning a web of support for Colorado infants and families. *Zero to Three*, 15(6), 18-23.
- Broyles, R. S., Tyson, J. E., Heyne, E. T., Heyne, R. J., Hickman, J. F., Swint, M., et al. (2000). Comprehensive follow-up care and life threatening illnesses among high-risk infants. *Journal of the American Medical Association*, 284(16), 2070-2076.
- Brun, D. A., & McCollum, J. A. (2002). Partnerships between mothers and professionals in the NICU: Caregiving, information exchange and relationships. *Neonatal Network*, 21(7), 15-23.
- Brun, D. A., & Steeples, T. (2001). Partners from the beginning: Guidelines for encouraging partnerships between parents and NICU and EI professionals. *Infant-Toddler Intervention*, 11(3-4), 237-247.
- Buehler, D. M., Als, H., Duffy, F. H., McAnulty, G. B., & Liederman, J. (1995). Effectiveness of individualized developmental care for low-risk preterm infants: Behavioral and electrophysiologic evidence. *Pediatrics*, 96(5), 923-932.
- Catlin, A. (2005). Thinking outside the box: Prenatal care and the call for a prenatal advance directive. *Journal of Perinatal & Neonatal Nursing*, 19(2), 169-176.
- Charchuk, M., & Simpson, C. (2003). Loyalty and hope: Keys to parenting in the NICU. *Neonatal Network*, 22(4), 39-45.
- Clark, P. A. (2001). What residents are not learning: Observations in a NICU. *Academic Medicine*, 76(5), 419-424.
- Conde-Agudelo A, Diaz-Rossello J. L., & Belizan, J. M. (2003). *Kangaroo mother care to reduce morbidity and mortality in low birthweight infants (Cochrane Review)*. Available from <http://www.cochrane.org/reviews/en/ab002771.html>
- Conner, J. M., & Nelson, E. C. (1999). Neonatal intensive care: Satisfaction measured from a parent's perspective. *Pediatrics*, 103(1 Su), 336-349.
- Cooper, L. G., Gooding, J. S., Gallagher, J., Sternesky, L, Ledsky, R., & Berns, S. D. (2007). Impact of a family-centered care initiative on NICU care, staff and families. *Journal of Perinatology*, 27(Suppl. 2), S32-S37.
- Cox, M. (1996). Discharge planning for the high-risk infant. In E. Ahmann (Ed.). *Home care for the high-risk infant: A family-centered approach* (pp. 45-51). Gaithersburg, MD: Aspen.
- Curley, M. A., & Meyer, E. C. (2003). Parental experience of highly technical therapy: Survivors and nonsurvivors of extracorporeal membrane oxygenation support. *Pediatric Critical Care Medicine*, 4(2), 214-219.
- Davidson, J. E., Powers, K., Hedayat, K. M., Tieszen, M., Kon, A. A., Shephard, E., et al. (2007). Clinical practice guidelines for support of the family in the patient-centered intensive care unit: American College of Critical Care Medicine Task Force 2004-2005. *Critical Care Medicine*, 35(2), 605-622.
- Davis, L., Mohay, H., & Edwards, H. (2003). Mothers' involvement in caring for their premature infants: An historical overview. *Journal of Advanced Nursing*, 42(6), 578-586.
- Dokken, D. L., & Ahmann, E. (2006). The many roles of family members in "family-centered care," Part 1. *Pediatric Nursing*, 32(6), 562-565.
- Dokken, D. L., & Sydnor-Greenberg, N. (1998). Helping families mobilize their personal resources. *Pediatric Nursing*, 24(1), 66-69.

- Doroshow, R. W., Hodgman, J. E., Pomerance, J. J., Ross, J. W., Michel, V. J., Lockett, P. M., et al. (2000). Treatment decisions for newborns at the threshold of viability: An ethical dilemma. *Journal of Perinatology*, 20(6), 379-383.
- Dunn, M. S., Reilly, M. C., Johnston, A. M., Hoopes, R. D., Jr., & Abraham, M. R. (2006). Development and dissemination of potentially better practices for the provision of family-centered care in neonatology: The family-centered care map. *Pediatrics*, 118(Suppl. 2), s95-s107.
- Dyer, K. A. (2005). Identifying, understanding, and working with grieving parents in the NICU, Part I: Identifying and understanding loss and the grief response. *Neonatal Network*, 24(3), 35-47.
- Dyer, K. A. (2005). Identifying, understanding, and working with grieving parents in the NICU, Part II: Strategies. *Neonatal Network*, 24(4), 27-40.
- Evans J. B., & Philbin, M. K. (2000). Facility and operations planning for quiet hospital nurseries. *Journal of Perinatology*, 20(8 Pt 2), S105-S112.
- Feldman, R., Eidelman, A. I., Sirota, L., & Weller, A. (2002). Comparison of skin-to-skin (kangaroo) and traditional care: Parenting outcomes and preterm infant development. *Pediatrics*, 110(1 Pt. 1), 16-26.
- Fenwick, J., Barclay, L., & Schmied, V. (2001). Struggling to mother: A consequence of inhibitive nursing interactions in the neonatal nursery. *Journal of Perinatal and Neonatal Nursing*, 15(2), 49-64.
- Forsythe, P. L. (1998). New practices in the transitional care center improve outcomes for babies and their families. *Journal of Perinatology*, 18(6 Pt 2 Su), S13-S17.
- Forsythe, P. L., Maher, R., Kirchick, C., & Bieda, A. (2007). SAFE discharge for infants with high-risk home environments. *Advances in Neonatal Care*, 7(2), 69-75.
- Fournier, M. A. (1999). *Impact of a family-centered care approach on the design of neonatal intensive care units*. Unpublished doctoral dissertation. Texas A&M University, Texas.
- Franck, L. S., Allen, A., Cox, S., & Winter, I. (2005). Parents' views about infant pain in the neonatal intensive care. *Clinical Journal of Pain*, 21(2), 133-139.
- Furman, L., Minich, N., & Hack, M. (2002). Correlates of lactation in mothers of very low birth weight infants. *Pediatrics*, 109(4), e57.
- Gale, G., & Franck, L. (1998). Toward a standard of care for parents of infants in the neonatal intensive care unit. *Critical Care Nurse*, 18(5), 62-74.
- Galvin, E., Boyers, L., Schwartz, P. K., Jones, M., Money, P., Warwick, J., et al. (2000). Challenging the precepts of family-centered care: Testing a philosophy. *Pediatric Nursing*, 26(6), 625-632.
- Gannon, B. (2000). Caring one day at a time. *Neonatal Network*, 19(5), 25-32.
- Gardner, G., Barrett, T., Coonan, K., Cox, H., & Roberson, B. (2002). Parent support programmes in neonatal intensive care: Researching the issues. *Neonatal, Paediatric and Child Health Nursing*, 5(1), 20-25.
- Gilkerson, L., & Als, H. (1995). Role of reflective process in the implementation of developmentally supportive care in the newborn intensive care nursery. *Infants and Young Children*, 7(4), 20-28.
- Green, R. M., & Little, G. A. (Executive Producers) & Kahn, R. (Filmmaker). (1998). *Dreams and dilemmas: Parents and the practice of neonatal care* [Videotape]. Hanover, NH: Trustees of Dartmouth College. (Available from Fanlight Productions at [www.fanlight.com](http://www.fanlight.com))
- Griffin, T. (2006). Family-centered care in the NICU. *Journal of Perinatal and Neonatal Nursing*, 20(1), 98-102.
- Griffin, T. (1998). The visitation policy. *Neonatal Network*, 17(2), 75-76.
- Griffin, T. (1998). Visitation patterns: The parents who visit "too much." *Neonatal Network*, 17(7), 67-68.
- Griffin, T. (1990). Nurse barriers to parenting in the special care nursery. *Journal of Neonatal Nursing*, 4(2), 56-57.

- Griffin, T., & Abraham, M. R. (2006). Transition to home from the newborn intensive care unit: Applying the principles of family-centered care to the discharge process. *Journal of Perinatal and Neonatal Nursing*, 20(3), 243-249.
- Griffin, T., Meier, P. P., Bradford, L. P., Bigger, H. R., & Engstrom, J. L. (2002). Mother's performing creatinemia measures in the NICU: Accuracy, reactions, and cost. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 29(3), 249-257.
- Griffin, T., Wishba, C., & Kavanaugh, K. (1998). Nursing interventions to reduce stress in parents of hospitalized preterm infants. *Journal of Pediatric Nursing*, 13(5), 290-295.
- Hadden, D. S. (2000). The long anticipated day: Strategies for success when a premature infant comes home from the neonatal intensive care unit. *Young Exceptional Children*, 3(2) 21-26.
- Halamek, L. P. (2001). The advantages of a prenatal consultation by a neonatologist. *Journal of Perinatology*, 20(6), 116-120.
- Hall, J. H., & Johnson, B. H. (In press). *Design planning for newborn intensive Care* (3<sup>rd</sup> ed.). Bethesda, MD: Institute for Patient- and Family-Centered Care.
- Hanson, J. L., Jeppson, E. S., Johnson, B. H., & Thomas, J. (1997). *Newborn intensive care: Resources for family-centered practice*. Bethesda, MD: Institute for Patient- and Family-Centered Care.
- Harris, D., Shepley, M., & White, R. (2006). *The impact of single-room neonatal intensive care on user's health and satisfaction* (Coalition for Health Environments Research Paper). Available from Center for Health Design [http://www.healthdesign.org/research/reports/single\\_nicu\\_rooms.php](http://www.healthdesign.org/research/reports/single_nicu_rooms.php)
- Harris, D., Shepley, M., White, R., Kolberg, K., & Harrell, J. (2006). The impact of single family room design on patients and caregivers: Executive summary. *Journal of Perinatology*, 26(Suppl. 3), s38-s48.
- Harris, M., & Little, G. (2005, Winter). Family-centered care in the NICU. *Children's Hospitals Today*. Retrieved January 2, 2009, from <http://www.childrenshospitals.net/AM/Template.cfm?Section=Homepage&CONTENTID=17080&TEMPLATE=/CM/ContentDisplay.cfm>
- Harrison, H. (1993). The principles for family-centered neonatal care. *Pediatrics*, 92(5), 643-650.
- Heermann, J. A., Wilson, M. E., & Wilhelm, P. A. (2005). Mother in the NICU: Outsider to partner. *Pediatric Nursing*, 31(3), 176-200.
- Hewitt, B. E. (2003). The challenge of providing family-centered care during air transport: An example of reflection on action in nursing practice. *Contemporary Nurse*, 15(1-2), 118-124.
- Hurst, I. (2001). Vigilant watching over: Mothers' actions to safeguard their premature babies in the newborn intensive care nursery. *Journal of Perinatal and Neonatal Nursing*, 15(3), 39-57.
- Hurst, I. (2004). Imposed burdens: A Mexican American mother's experience of family resources in a newborn intensive-care unit. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 33(2), 156-163.
- Hurst, I. (2005). The legal landscape at the threshold of viability for extremely premature infants: A nursing perspective, Part I. *Journal of Perinatal and Neonatal Nursing*, 19(2), 155-166.
- Hurst, I. (2005). The legal landscape at the threshold of viability for extremely premature infants: A nursing perspective, Part II. *Journal of Perinatal and Neonatal Nursing*, 19(3), 253-262.
- Hurst, I. (2006). One size does not fit all: Parents' evaluations of a support program in a newborn intensive care program. *Journal of Perinatal and Neonatal Nursing*, 20(3), 252-261.
- Hurst, N. M., Valentine, C. J., Renfro, L., Burns, P., & Ferlic, L. (1997). Skin-to-skin holding in the neonatal intensive care unit influences maternal milk volume. *Journal of Perinatology*, 17(3), 213-217.
- Hussey-Gardner, B., McNinch, A., Anastasi, J. M., & Miller, M. (2002). Early intervention best practice: Collaboration among an NICU, an early intervention program, and an NICU follow-up program. *Neonatal Network*, 21(3), 15-22.

- Institute for Patient- and Family-Centered Care. (2003). *Partnerships with families in newborn intensive care...Enhancing quality and safety* [Videotape]. Bethesda, MD: Institute for Patient- and Family-Centered Care. Available from <http://www.ipfcc.org/resources/videos/index.html>
- Johnson, B. (1995). Newborn intensive care units pioneer family-centered change in hospitals across the country. *Zero to Three, 15*(6), 11-17.
- Johnson, B. H., Abraham, M. R., & Parrish, R. N. (2004). Designing the neonatal intensive care unit for optimal family involvement. *Clinics in Perinatology, 31*(2), 353-383.
- Johnson, B. H., & Hanson, J. L. (Executive Producers). (1996). *Newborn intensive care: Changing practice, changing attitudes*. [Videotape]. Bethesda, MD: Institute for Patient- and Family-Centered Care. Available from <http://www.ipfcc.org/resources/videos/index.html>
- Johnston, A. M., Bullock, C. E., Graham, J. E., Reilly, M. C., Rocha, C., Hoopes, R. D., Jr., et al. (2006). Implementation of potentially better practices for family-centered care: The family-centered care map. *Pediatrics, 118*(Suppl. 2), s108-s114.
- Kennell, J. K. (1999). The humane neonatal care initiative. *ACTA Paediatrica, 88*(4), 367-370.
- King, N. M. P. (1992). Transparency in neonatal intensive care. *Hastings Center Report, 22*, 18-25.
- Kledzik, T. (2005). Holding the very low birth weight infant: Skin-to-skin techniques. *Neonatal Network, 24*(1), 7-14.
- Koh, T., Butow, P. N., Coory, M., Budge, D., Collie, L. A., Whitehall, J., et al. (2007). Provision of taped conversations with neonatologists to mothers of babies in intensive care: Randomised controlled trial. *BMJ, 6*(334), 28.
- Laudert, S., Liu, W. F., Blackington, S., Perkins, B., Martin, S., MacMillan-York, E., et al., (2007). Implementing potentially better practices to support the neurodevelopment of infants in the NICU. *Journal of Perinatology, 27* (Suppl. 2), S75-S93.
- Lawhon, G. (2003). Challenges in providing developmentally supportive care: A case presentation. *Journal of Obstetric, Gynecologic, and Neonatal Nursing, 32*(3), 387-392.
- Lawhon, G. (2002). Facilitation of parenting the premature infant within the newborn intensive care unit. *Journal of Perinatal and Neonatal Nursing, 16*(1), 71-82.
- Loo, K. K., Espinosa, M., Tyler, R., & Howard, J. (2003). Using knowledge to cope with stress in the NICU: How parents integrate learning to read the physiologic and behavioral cues of the infant. *Neonatal Network, 22*(1), 31-37.
- Luckner, K. R., & Weinfeld, I. J. (1995). Informed consent as a parent involvement model in the NICU. *Bioethics Forum, 11*(1), 35-41.
- Mancini, A., & While, A. (2001). Discharge planning from a neonatal unit: An exploratory study of parents' views. *Journal of Neonatal Nursing, 7*(2), 59-62.
- Malusky, S. K. (2005). A concept analysis of family-centered care in the NICU. *Neonatal Network, 24*(6), 25-32.
- Martin, G. I. (Ed.) (2000). Sound, its impact on fragile infants, and the neonatal environment [Theme supplement]. *Journal of Perinatology, 20* (8 Pt 2).
- Martin, G. I. (Ed.). (2003). Recommended standards for newborn ICU design [Theme supplement]. *Journal of Perinatology, 23*(n1s).
- McGrath, J. M. (2001). Building relationships with families in the NICU: Exploring the guarded alliance. *Journal of Perinatal and Neonatal Nursing, 15*(3), 74-83.
- McGrath, J. M. (2005). Partnerships with families: A foundation to support them in difficult times. *Journal of Perinatal & Neonatal Nursing, 19*(2), 94-96.
- McGrath, J. M. (2005). Single-room design in the NICU: Making it work for you. *Journal of Perinatal and Neonatal Nursing, 19*(3), 210-211.

- Meier, P. P., Engstrom, J. L., Mingolelli, S. S., Miracle, D. J., & Kiesling, S. (2004). The Rush mother's milk club: Breastfeeding interventions for mothers with very-low-birth-weight infants. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 33(2), 164-173.
- Merewood, A., Chamberlain, L. B., Cook, J. T., Philipp, B. L., Malone, K., & Bauchner, H. (2006). The effect of peer counselors on breastfeeding rates in the neonatal intensive care unit: Results of a randomized controlled trial. *Archives of Pediatrics & Adolescent Medicine*, 160(7), 681-685.
- Meyer, E. C., Kennally, K. F., Zika-Beres, E., Cashore, W. J., & Oh, W. (1996). Attitudes about sibling visitation in the neonatal intensive care unit. *Archives of Pediatric and Adolescent Medicine*. 150(10), 1021-1026.
- Montgomery, L. A., Kleiber, C., Nicholson, C., & Craft-Rosenberg, M. (1997). A research-based sibling visitation program for the neonatal ICU. *Critical Care Nurse*, 17(2), 29-40.
- Moore, K. A., Coker, K., DuBuisson, A. B., Swett, B., & Edwards, W. H. (2003). Implementing potentially better practices for improving family-centered care in neonatal intensive care units. *Pediatrics*, 111(4 pt. 2), e450-e460.
- Morley, C. J., Lau, R., Davis, P. G., & Morse, C. (2005). What do parents think about enrolling their premature babies in several research studies? *Archives of Disease in Childhood. Fetal and Neonatal Edition*, 90, F225-F228.
- Morton, J.A. (2000). Strategies to support extended breastfeeding of the premature infant. *Advances in Neonatal Care*, 2(5), 267-284.
- National Association of Neonatal Nurses. (1999). *Discharge guidelines for the technology dependent infant*. Glenview, IL: NANN.
- National Association of Neonatal Nurses. (2000). *Infant and family-centered developmental care*. Glenview, IL: NANN.
- Nystrom, K., & Axelsson, K. (2002). Mothers' experience of being separated from their newborns. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 31(3), 275-282.
- Ohgi, S., Fukuda, M., Akiyama, T., & Gima, H. (2004). Effect of an early intervention programme on low birthweight infants with cerebral injuries. *Journal of Paediatrics and Child Health*, 40, 689-695.
- Orfali, K., & Gordon, E. J. (2004). Autonomy gone awry: A cross-cultural study of parents' experiences in the neonatal intensive care units. *Theoretical Medicine*, 25, 329-365.
- Partridge, J. C., Martinez, A. M., Nishida, H., Nem-Yun, B., Tan, K. W., Chap-Yung, Y., et al. (2005). International comparison of care for very low birth weight infants: Parents' perceptions of counseling and decision-making. *Pediatrics*, 116(2), 263-271.
- Partridge, J. C., Freeman, H., Weiss, E., & Martinez, A. M. (2001). Delivery room resuscitation decisions for extremely low birthweight infants in California. *Journal of Perinatology*, 21(1), 27-33.
- Paul, D. A., Epps, S., Leef, K. H., & Stefano, J. L. (2001). Prenatal consultation with a neonatologist prior to preterm delivery. *Journal of Perinatology*, 21(7), 431-437.
- Penticuff, J. H., & Arheart, K. L. (2005). Effectiveness of an intervention to improve parent-professional collaboration in neonatal intensive care. *Journal of Perinatal & Neonatal Nursing*, 19(2), 187-202.
- Petersen, M.F., Cohen, J., & Parsons, V. (2004). Family-centered care: Do we practice what we preach? *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 33(4), 421-427.
- Pinch, W. J. (2002). *When the bough breaks: Parental perception of ethical decision-making in the NICU*. Lanham, MD: University Press of America, Inc.
- Pohlman, S. (2005). The primacy of work and fathering preterm infants: Findings from an interpretive phenomenological study. *Advances in Neonatal Care*, 5(4), 204-216.
- Preyde, M., & Ardal, F. (2003). Effectiveness of a parent "buddy" program for mothers of very preterm infants in a neonatal intensive care unit. *Canadian Medical Association Journal*, 168(8), 969-973.

- Preyde, M., Ardal, F., & Bracht, M. (2001). Mothers' perceptions of the parent buddy program: A program for parents of very pre-term hospitalized infants. *Canadian Social Work, 3*(2), 43-56.
- Raines, D. A. (1999). Suspended mothering: Women's experiences mothering an infant with a genetic anomaly identified at birth. *Neonatal Network, 18*(5), 35-39.
- Robison, L. D. (2003). An organizational guide for an effective developmental program in the NICU. *Journal of Obstetric, Gynecologic, and Neonatal Nursing, 32*(3), 379-386.
- Rodriguez, N. A., Miracle, D. J., & Meier, P.M. (2005). Sharing the science on human milk feedings with mothers of very-low-birth-weight infants. *Journal of Obstetrics, Gynecologic, and Neonatal Nursing, 34*(1), 109-119.
- Roman, L. A., Lindsay, J. K., Boger, R. P., DeWys, M., Beaumont, E. J., Jones, A. S., et al. (1995). Parent-to-parent support initiated in the neonatal intensive care unit. *Research in Nursing & Health, 18*(5), 385-394.
- Saunders, R. P., Abraham, M. R., Crosby, M. J., Thomas, K., & Edwards, W. H. (2003). Evaluation and development of potentially better practices for improving family-centered care units. *Pediatrics, 111*(4 pt. 2), e437-e449.
- Simms, R., & Cole, F. S. (2007). The many roles of family members in "family-centered care," Part II. Interview by Deborah Dokken. *Pediatric Nursing, 33*(1), 51-52, 70.
- Sizun, J., & Westrup, B. (2004). Early developmental care for preterm neonates: A call for more research. *Archives of Disease in Childhood. Fetal and Neonatal Edition, 89*, F384-F389.
- Spear, M. L., Leef, K., Epps, S., & Locke, R. (2002). Family reactions during infants' hospitalization in the neonatal intensive care unit. *American Journal of Perinatology, 19*(4), 205-213.
- Spicer, K. (2001). What every nurse needs to know about breast pumping: Instructing and supporting mothers of premature infants in the NICU. *Neonatal Network, 20*(4), 35-39.
- Stevens, D. C., Kahn, M. A., Munson, D. P., Reid, E. J., Helseth, C. C., & Bugg, J. (2007). The impact of architectural design upon the environmental sound and light exposure of neonates who require intensive care: An evaluation of the Boekelheide Neonatal Intensive Care Nursery. *Journal of Perinatology, 27*(Suppl. 2), S20-S28.
- Sudia-Robinson, T. M., & Freeman, S. B. (2000). Communication patterns and decision-making among parents and health care providers in the neonatal intensive care unit: A case study. *Heart & Lung, 29*(2), 143-148.
- Sweeney, M. M. (1997). The value of a family-centered approach in the NICU and PICU: One family's perspective. *Pediatric Nursing, 23*(1), 64-66.
- Sydnor-Greenberg, N., & Dokken, D. (2000). Coping and caring in different ways: Understanding and meaningful involvement. *Pediatric Nursing, 26*(2), 185-190.
- Symington, A., & Pinelli, J. (2003). Developmental care for promoting development and preventing morbidity in preterm infants (Cochrane Review). In: *The Cochrane Library*, Issue 3. Oxford: Update Software.
- Van Riper, M. (2001). Family-provider relationships and well-being in families with preterm infants in the NICU. *Heart & Lung, 30*(1), 74-84.
- Vandenberg, K. A. (2007). Individualized developmental care for high risk newborns in the NICU: A practice guideline. *Early Human Development, 83*(7), 433-442.
- Ward, F. R. (2005). Parents and professionals in the NICU: Communication within the context of ethical decision making – An integrative review. *Neonatal Network, 24*(3), 25-33.
- Walsh-Sukys, M., Reitenbach, A., Hudson-Barr, D., & DePompei, P. (2001). Reducing light and sound in the neonatal intensive care unit: An evaluation of patient safety, staff satisfaction and costs. *Journal of Perinatology, 21*(4), 230-235.
- Westrup, B., Agneta, K., von Eichwald, K., Stjernqvist, K., & Lagercrantz, H. (2000). A randomized, controlled trial to evaluate the effects of the Newborn Individualized Developmental Care and Assessment Program in a Swedish setting. *Pediatrics, 105*(1), 66-72.

- White, R. D. (2004). Mothers' arms – the past and future locus of neonatal care? *Clinics in Perinatology*, 31(2), 383-388.
- White, R. D. (2007). *Recommended standards for newborn ICU design*. Retrieved January 2, 2009, from <http://www.nd.edu/~nicudes/>
- White, R. D. (Ed.). (2004). The sensory environment of the NICU: Scientific and design-related aspects [Theme issue]. *Clinics in Perinatology*, 31(2), 199-388.
- White, R. D., & Martin, G. I. (Eds.). (2006). New standards for newborn intensive care unit (NICU) design [Theme supplement]. *Journal of Perinatology*, 26(Suppl. 3).
- White, R. D., & Martin, G. I. (Eds.). (2007). Design standards and applications for the physical and sensory environment of the NICU [Theme supplement]. *Journal of Perinatology*, 27(Suppl. 2).
- White, R., Martin, G. I., & Graven, S. N. (1999). Newborn intensive care unit design: Scientific and practical considerations. In G. B. Avery, M. F. Fletcher, & M. G. MacDonald (Eds.). *Neonatology: Pathophysiology and management of the newborn* (pp. 49-59). Philadelphia: Lippincott, Williams, & Wilkins.
- Wigert, H., Hellstrom, A., & Berg, M. (2008). Conditions for parents' participation in the care of their child in neonatal intensive care – A field study. *BMC Pediatrics*, 8(3). [doi:10.1186/1471-2431-8-3]. Retrieved January 2, 2009, from <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=2259343>
- Wocial, L. D. (2000). Life support decisions involving imperiled infants. *Journal of Perinatal and Neonatal Nursing*, 14(2), 73-86.